10

15

20

25

## CLAIMS

What is claimed is:

- 1. An isolated polynucleotide comprising a nucleotide sequence selected from the group consisting of:
- (a) a first nucleotide sequence encoding a polypeptide of at least 50 amino acids that has at least 80% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 2, SEQ ID NO: 12, and SEQ ID NO:56;
- (b) a second nucleotide sequence encoding a polypeptide of at least 50 amino acids that has at least 85% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 8 and SEQ ID NO:28:
  - (c) a third nucleotide sequence encoding a polypeptide of at least 50 amino acids that has at least 90% identity based on the Clustal method of alignment when compared to a polypeptide of SEO ID NO: 16;
  - (d) a fourth nucleotide sequence encoding a polypeptide of at least 50 amino acids that has at least 95% identity based on the Clustal method of alignment when compared to polypeptide of SEQ ID NO: 52;
- (e) a fifth nucleotide sequence encoding a polypeptide of at least 100 amino acids that has at least 80% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 6, SEQ ID NO: 14, SEQ ID NO:50, and SEQ ID NO:58;
- (f) a sixth nucleotide sequence encoding a polypeptide of at least 100 amino acids that has at least 85% identity based on the Clustal method of alignment when compared to SEQ ID NO: 60;
- (g) a seventh nucleotide sequence encoding a polypeptide of at least 100 amino acids that has at least 90% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 4, SEQ ID NO:10, SEQ ID NO:22, SEQ ID NO:24, and SEQ ID NO:62;
- 30 (h) a eighth nucleotide sequence encoding a polypeptide of at least 100 amino acids that has at least 95% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 18 and SEQ ID NO:20;
- (i) a ninth nucleotide sequence encoding a polypeptide of at least 150 amino acids that has at least 80% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 26, SEQ ID NO: 34, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:48, and SEQ ID NO:54;

25

30

35

5

10

- (j) a tenth nucleotide sequence encoding a polypeptide of at least 150 amino acids that has at least 85% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 32, SEQ ID NO:44 and SEO ID NO:46:
- (k) an eleventh nucleotide sequence encoding a polypeptide of at least 200 amino acids that has at least 80% identity based on the Clustal method of alignment when compared to SEO ID NO: 36:

(l) a twelfth nucleotide sequence encoding a polypeptide of at least 200 amino acids that has at least 85% identity based on the Clustal method of alignment when compared to SEO ID NO: 30: and

- (m) a thirteenth nucleotide sequence comprising the complement of (a), (b), (c), (d), (e), (f), (g), (h), (i), (j), (k), or (l).
- 2. The isolated polynucleotide of Claim 1, wherein the isolated nucleotide sequence consists of a nucleic acid sequence selected from the group consisting of SEQ ID NOs:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, and 61 that codes for the polypeptide selected from the group consisting of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, and 62.
- 3. The isolated polynucleotide of Claim 1 wherein the nucleotide sequences are DNA.
- 4. The isolated polynucleotide of Claim 1 wherein the nucleotide sequences are RNA.
- 5. A chimeric gene comprising the isolated polynucleotide of Claim 1 operably linked to suitable regulatory sequences.
  - 6. An isolated host cell comprising the chimeric gene of Claim 5.
- 7. An isolated host cell comprising an isolated polynucleotide of Claim 1 or Claim 3.
- 8. The isolated host cell of Claim 7 wherein the isolated host is selected from the group consisting of yeast, bacteria, plant, and virus.
  - 9. A virus comprising the isolated polynucleotide of Claim 1.
  - 10. A polypeptide selected from the group consisting of:
- (a) a first seuqence of at least 50 amino acids that has at least 80% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 2, SEQ ID NO: 12, and SEQ ID NO:56;
- (b) a second sequence of at least 50 amino acids that has at least 85% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEO ID NO: 8 and SEQ ID NO:28;

10

15

20

25

30

35

- (c) a third sequence of at least 50 amino acids that has at least 90% identity based on the Clustal method of alignment when compared to SEQ ID NO: 16;
- (d) a fourth sequence of at least 50 amino acids that has at least 95% identity based on the Clustal method of alignment when compared to SEQ ID NO: 52;
- (e) a fifth sequence of at least 100 amino acids that has at least 80% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 6, SEQ ID NO: 14, SEQ ID NO:50, and SEQ ID NO:58;
- (f) a sixth sequence of at least 100 amino acids that has at least 85% identity based on the Clustal method of alignment when compared to SEO ID NO: 60;
- (g) a seventh sequence of at least 100 amino acids that has at least 90% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 4, SEQ ID NO:10, SEQ ID NO:22, SEQ ID NO:24, and SEQ ID NO:62;
- (h) an eighth sequence of at least 100 amino acids that has at least 95% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 18 and SEQ ID NO:20;
  - (i) a ninth sequence of at least 150 amino acids that has at least 80% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 26, SEQ ID NO: 34, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:48, and SEQ ID NO:54;
  - (j) a tenth sequence of at least 150 amino acids that has at least 85% identity based on the Clustal method of alignment when compared to a polypeptide selected from the group consisting of SEQ ID NO: 32, SEQ ID NO:44, and SEQ ID NO:46;
- (k) an eleventh sequence of at least 200 amino acids that has at least 80% identity based on the Clustal method of alignment when compared to SEO ID NO: 36: and
- (I) a twelfth sequence of at least 200 amino acids that has at least 85% identity based on the Clustal method of alignment when compared to SEO ID NO: 30.
- 11. A method of selecting an isolated polynucleotide that affects the level of expression of a Myb-related transcription factor polypeptide in a plant cell, the method comprising the steps of:
- (a) constructing an isolated polynucleotide comprising a nucleotide sequence of at least one of 30 contiguous nucleotides derived from a nucleotide sequence selected from the group consisting of SEQ ID NOs:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, and 61 and the complement of such nucleotide sequences;
  - (b) introducing the isolated polynucleotide into a plant cell; and
- (c) measuring the level of a polypeptide in the plant cell containing the polynucleotide to provide a positive selection means.

10

20

25

30

- 12. The method of Claim 11 wherein the isolated polynucleotide consists of a nucleotide sequence selected from the group consisting of SEQ ID NOs:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, and 61 that codes for the polypeptide selected from the group consisting of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, and 62.
- 13. A method of selecting an isolated polynucleotide that affects the level of expression of a Myb-related transcription factor polypeptide in a plant cell, the method comprising the steps of:
  - (a) constructing an isolated polynucleotide of Claim 1;
  - (b) introducing the isolated polynucleotide into a plant cell; and
- (c) measuring the level of polypeptide in the plant cell containing the polynucleotide to provide a positive selection means.
- 14. A method of obtaining a nucleic acid fragment encoding a Myb-related transcription factor polypeptide comprising the steps of:
  - (a) synthesizing an oligonucleotide primer comprising a nucleotide sequence of at least one of 30 contiguous nucleotides derived from a nucleotide sequence selected from the group consisting of SEQ ID NOs:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, and 61 and the complement of such nucleotide sequences; and
    - (b) amplifying a nucleic acid sequence using the oligonucleotide primer.
  - 15. A method of obtaining a nucleic acid fragment encoding a Myb-related transcription factor polypeptide comprising the steps of:
  - (a) probing a cDNA or genomic library with an isolated polynucleotide comprising a nucleotide sequence of at least one of 30 contiguous nucleotides derived from a nucleotide sequence selected from the group consisting of SEQ ID NOs:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, and 61 and the complement of such nucleotide sequences;
    - (b) identifying a DNA clone that hybridizes with the isolated polynucleotide:
    - (c) isolating the identified DNA clone; and
  - (d) sequencing the cDNA or genomic fragment that comprises the isolated DNA clone.
- 16. An isolated polynucleotide comprising at least one of 30 nucleotides derived from the group consisting of SEQ ID NOs:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29,
  35. 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, and the complement of such sequences.